

ACTIVITY 8: SPINAL CORD, SPINAL NERVES, SENSORY ORGANS

OBJECTIVES:

- 1) **How to get ready:** Read Chapter 16 and 19, McKinley *et al.*, *Human Anatomy*, 4e. All text references are for this textbook. You can also complete most of Table 3 **BEFORE** you come to lab.
- 2) Identify structures in the gross anatomy of the spinal cord on both models and cadavers or wet specimens.
- 3) Identify structures in the cross section of the spinal cord on classroom models.
- 4) Identify the nerve plexuses and specific nerves from each. **AT THIS POINT, STUDENTS ARE RESPONSIBLE FOR THE SPECIFIC MUSCLES INNERVATED BY EACH PERIPHERAL NERVE LISTED.**
- 5) Identify structures from the human eye on models.
- 6) Dissect a cow eye and identify the structures listed. **YOU MUST BRING GLOVES FOR THIS ACTIVITY.**
- 7) Identify structures of the ear on classroom models.
- 8) Histology: Observe and identify structures in a histology slide of the cochlea.
- 9) **Before next class:** Preview Heart and Blood terms lists from SLCC Anatomy Laboratory website or your printed laboratory manual and your textbook.

TABLE 1. GROSS ANATOMY OF THE SPINAL CORD, POSTERIOR VIEW

STRUCTURE	TEXTBOOK REFERENCE & NOTES
<input type="checkbox"/> cervical enlargement	described p. 485 fig. 16.1
<input type="checkbox"/> thoracic region of the spinal cord	
<input type="checkbox"/> lumbar enlargement (<i>or</i> lumbosacral enlargement)	
<input type="checkbox"/> conus medullaris	
<input type="checkbox"/> cauda equina	
<input type="checkbox"/> filum terminale	
<input type="checkbox"/> posterior median sulcus	described p. 485 fig. 16.2b, 16.3
<input type="checkbox"/> anterior median fissure	
<input type="checkbox"/> anterior rootlets	described p. 491 fig. 16.2b, 16.3
<input type="checkbox"/> posterior rootlets	
<input type="checkbox"/> spinal nerves <ul style="list-style-type: none"> <input type="checkbox"/> cervical spinal nerves (C1-C8) <input type="checkbox"/> thoracic spinal nerves (T1-T12) <input type="checkbox"/> lumbar spinal nerves (L1-L5) <input type="checkbox"/> sacral spinal nerves (S1-S5) <input type="checkbox"/> coccygeal spinal nerve (Co1) 	described p. 491 fig. 16.1, 16.7-16.11
<input type="checkbox"/> denticulate ligaments	described p. 489 fig. 16.1b

TABLE 2. CROSS SECTION OF THE SPINAL CORD

STRUCTURE	TEXTBOOK REFERENCE & NOTES
<input type="checkbox"/> central canal	described p. 448, 489 fig. 16.2, 15.6
<input type="checkbox"/> posterior median sulcus	described p. 485 fig. 16.2b
<input type="checkbox"/> anterior median fissure	
<input type="checkbox"/> posterior (<u>or</u> dorsal) root	described p. 491 fig. 16.2b, 16.4
<input type="checkbox"/> posterior rootlets	
<input type="checkbox"/> posterior (<u>or</u> dorsal) root ganglion	
<input type="checkbox"/> anterior (<u>or</u> ventral) root	
<input type="checkbox"/> anterior rootlets	
<input type="checkbox"/> gray matter <ul style="list-style-type: none"> <input type="checkbox"/> posterior (dorsal) horns <input type="checkbox"/> gray commissure <input type="checkbox"/> lateral horns <input type="checkbox"/> anterior (ventral) horns 	
<input type="checkbox"/> white matter <ul style="list-style-type: none"> <input type="checkbox"/> posterior white columns (funiculus) <input type="checkbox"/> anterior white columns (funiculus) <input type="checkbox"/> lateral white columns (funiculus) 	described p. 491 fig. 16.3a
SPINAL MENINGES & SPACES (superficial to deep)	
<input type="checkbox"/> epidural space	described pp. 487, 489 fig. 16.2a
<input type="checkbox"/> dura mater	
<input type="checkbox"/> subdural space	
<input type="checkbox"/> arachnoid mater	
<input type="checkbox"/> subarachnoid space	
<input type="checkbox"/> pia mater	

TABLE 3. MAJOR NERVE PLEXUSES AND SELECTED NERVES: You are now responsible for the listed nerves AND (only) the muscles they innervate from your muscle anatomy labs. Refer to Chapter 12, Chapter 16 and your muscle tables from Activities 5 & 6 to fill in any blanks in the following tables.

STRUCTURE	MOTOR INNERVATION	TEXTBOOK REFERENCE
<input type="checkbox"/> CERVICAL PLEXUS		described: p. 494 fig. 16.8, table 16.2
<input type="checkbox"/> phrenic nerve	diaphragm	

<input type="checkbox"/> BRACHIAL PLEXUS		described: p. 497 fig. 16.9, table 16.3
<input type="checkbox"/> axillary nerve	<ul style="list-style-type: none"> ▪ deltoid ▪ teres minor 	
<input type="checkbox"/> median nerve	anterior forearm muscles (<u>LIST 5</u>)	
<input type="checkbox"/> musculocutaneous nerve	<ul style="list-style-type: none"> ▪ biceps brachii (both heads) ▪ brachialis 	
<input type="checkbox"/> radial nerve	<ul style="list-style-type: none"> ▪ posterior arm muscles (<u>LIST 2</u>) ▪ posterior forearm muscles (<u>LIST 8</u>) 	
<input type="checkbox"/> ulnar nerve	<ul style="list-style-type: none"> ▪ flexor carpi ulnaris ▪ flexor digitorum profundus (medial ½) ▪ most hand muscles 	
<input type="checkbox"/> long thoracic nerve	serratus anterior	
<input type="checkbox"/> medial pectoral nerve	<ul style="list-style-type: none"> ▪ pectoralis major ▪ pectoralis minor 	
<input type="checkbox"/> lateral pectoral nerve	pectoralis major	

<input type="checkbox"/> INTERCOSTAL NERVES: branch from thoracic spinal nerves; <u>do not form a plexus</u>	intercostal muscles	described: p. 494 fig. 16.7
--	---------------------	--------------------------------

<input type="checkbox"/> LUMBAR PLEXUS	described: p. 501 fig. 16.10, table 16.4
---	---

<input type="checkbox"/> femoral nerve	anterior thigh muscles (LIST 8)
<input type="checkbox"/> obturator nerve	medial thigh muscles (LIST 6)

<input type="checkbox"/> SACRAL PLEXUS		described: p. 504 fig. 16.11, table 16.5
<input type="checkbox"/> superior gluteal nerve	<ul style="list-style-type: none"> ▪ tensor fasciae latae ▪ gluteus medius ▪ gluteus minimus 	
<input type="checkbox"/> inferior gluteal nerve	gluteus maximus	
<input type="checkbox"/> sciatic nerve (branches into tibial and common fibular)		
<input type="checkbox"/> tibial nerve	<ul style="list-style-type: none"> ▪ posterior thigh muscles (LIST 4) ▪ posterior leg muscles (LIST 5) ▪ plantar surface of foot 	
<input type="checkbox"/> common fibular nerve (branches into deep fibular and superficial fibular)	biceps femoris (short head)	
<input type="checkbox"/> deep fibular nerve	<ul style="list-style-type: none"> ▪ dorsal surface of foot ▪ anterior leg (LIST 3) 	
<input type="checkbox"/> superficial fibular nerve	lateral compartment of leg (LIST 2)	

SENSORY ORGANS: EYE AND EAR

TABLE 4. EXTRINSIC EYE MUSCLES AND ACCESSORY STRUCTURES OF THE EYE

STRUCTURE		TEXTBOOK REFERENCE
EXTRINSIC EYE MUSCLES		
Muscle	Innervation	
<input type="checkbox"/> inferior oblique muscle	CNIII (oculomotor nerve)	described p. 329 fig. 11.4
<input type="checkbox"/> inferior rectus muscle		
<input type="checkbox"/> superior rectus muscle		
<input type="checkbox"/> medial rectus muscle		
<input type="checkbox"/> lateral rectus muscle	CNVI (abducens nerve)	
<input type="checkbox"/> superior oblique muscle	CNIV (trochlear nerve)	
ACCESSORY STRUCTURES		
<input type="checkbox"/> palpebra (eyelid), superior and inferior		described pp. 570, 572
<input type="checkbox"/> orbital fat pad		fig. 19.9b
<input type="checkbox"/> lacrimal gland		described pp. 570, 572
<input type="checkbox"/> nasolacrimal duct		fig. 19.9a, 19.10
<input type="checkbox"/> lacrimal caruncle		

TABLE 5. EYE

STRUCTURE	TEXTBOOK REFERENCE & NOTES
<input type="checkbox"/> optic nerve (CN II)	fig. 19.11, 19.17
<input type="checkbox"/> conjunctiva	described pp. 570-571 fig. 19.9b
LAYERS OF THE EYE WALL (superficial to deep)	
<input type="checkbox"/> fibrous tunic (outermost layer)	described p. 572 fig. 19.11
<input type="checkbox"/> sclera	
<input type="checkbox"/> cornea	
<input type="checkbox"/> vascular tunic (middle layer)	described p. 574 fig. 19.11
<input type="checkbox"/> choroid	
<input type="checkbox"/> ciliary body w/ ciliary muscles	
<input type="checkbox"/> iris	
<input type="checkbox"/> pupil	
<input type="checkbox"/> neural tunic (innermost layer)	described p. 574, 577 fig. 19.11, 19.13
<input type="checkbox"/> retina	
<input type="checkbox"/> optic disc ("blind spot")	
<input type="checkbox"/> macula lutea	
<input type="checkbox"/> fovea centralis	
<input type="checkbox"/> ora serrata	

TABLE 6. CAVITIES OF THE EYE

STRUCTURE	TEXTBOOK REFERENCE & NOTES
<input type="checkbox"/> anterior cavity	described p. 580 fig. 19.16, 19.11
<input type="checkbox"/> anterior chamber	
<input type="checkbox"/> posterior chamber	
<input type="checkbox"/> aqueous humor	
<input type="checkbox"/> lens	described p. 577 fig. 19.16, 19.11
<input type="checkbox"/> posterior cavity (vitreous chamber)	described p. 580 fig. 19.11, 19.16
<input type="checkbox"/> vitreous humor	

COW EYE DISSECTION INSTRUCTIONS

- Wear gloves
- Wash hands before and after dissection

1. Obtain dissection pan, dissecting tools and a fresh cow eye. Observe the following external anatomical structures before beginning your dissection.

- cornea**
- extrinsic eye muscles**
- optic nerve**
- orbital fat pad**
- sclera**
- iris**
- pupil**

2. Using scissors and forceps, remove the orbital fat pad and extrinsic eye muscles, leaving the **optic nerve** intact.

3. Using a scalpel, scissors and forceps, cut the eye open by making a coronal incision through the tough, white, **sclera**, which completely encircles the eye. You should end up with two halves of the eye, a back half that contains the optic nerve connected to the posterior surface of the eye, and a front half that contains the **cornea** on the anterior surface.

You may notice a clear, thin liquid leaking out of the eye. This is the **aqueous humor**.

If you notice a clear, jelly-like fluid leaking out of the **vitreous chamber**, this is the **vitreous humor**. The function of the vitreous humor is to hold the **retina** against the wall of the eye.

In the cow eye, a lot of the **choroid** contains black pigment, which may become mixed with the vitreous humor when the eye is cut open.

Look for the yellowish or pinkish thin, delicate membrane lining the inner surface of the eye and attached to the posterior of the eye at the optic nerve. This is the **retina**, which contains the neurons responsible for detecting light and sending vision information to the brain.

4. Find the optic nerve and locate the spot on the inside of the eye where the optic nerve attaches to the eye (the location where the retina attaches to the back of the eye on the inside). This spot within the eye is called the **optic disc** or blind spot. This spot has no neurons that can detect light (photoreceptors), and is where the axons from the retina leave the eye and travel to the brain through the **optic nerve** (CNII).

5. Move the retina aside and observe the inner wall of the posterior half of the eye. Notice the colorful, iridescent **tapetum lucidum**. This structure is not present in human eyes, but is present in animals that are able to see well in dim light. It reflects light around within the eye, so that dim light can still activate lots of photoreceptors. It is the reflection of the light from the tapetum lucidum that causes a cat's eyes (as well as other animal species) to shine or glow when a light shines on them at night.

6. Note the anterior portion of the eye. Notice the semitransparent **lens**, which is suspended in place by a ring of black-colored tissue called the **ciliary body**. The cavity anterior to the lens is the **anterior chamber** of the eye. In a living organism, it is filled with a clear, thin fluid called **aqueous humor**.

7. Remove the lens from the eye. You can see through it. Place it on a piece of paper containing some text and note the change in appearance of the text. What did you see?

8. Identify the following structures on the interior of the dissected cow eye:

- anterior chamber**
- choroid**
- ciliary body**
- lens**
- optic disc**
- posterior chamber**
- retina**
- tapetum lucidum**
- vitreous humor**

9. WHEN YOU HAVE FINISHED THE DISSECTION, CLEAN UP THE AREA. DISPOSE OF THE COW EYE AS DIRECTED. CLEAN, DRY AND PUT AWAY YOUR INSTRUMENTS AND DISSECTION TRAY IN ORDER TO RECEIVE CREDIT FOR YOUR PARTICIPATION GRADE FOR THE DAY.

TABLE 6. EAR: The ear is composed of three regions: the external ear, located mostly on the outside of the head, and the middle and inner ear, which are housed within the petrous portion of the temporal bone.

The inner ear is composed of the **bony labyrinth**, a hollow, curved space within the temporal bone, and the **membranous labyrinth**, coiled, fluid-filled tubes and chambers within the bony labyrinth.

STRUCTURE	TEXTBOOK REFERENCE & NOTES
EXTERNAL EAR	
<input type="checkbox"/> auricle (pinna)	described p. 582 fig. 19.19, 19.20
<input type="checkbox"/> external acoustic meatus (<i>or</i> canal)	
<input type="checkbox"/> tympanic membrane (eardrum; the partition between external and middle ear)	
MIDDLE EAR	
<input type="checkbox"/> auditory ossicles (lateral to medial)	described pp. 584-586 fig. 19.19, 19.20
<input type="checkbox"/> malleus	
<input type="checkbox"/> incus	
<input type="checkbox"/> stapes	
<input type="checkbox"/> auditory (eustachian) tube	described pp. 584-586, 595 fig. 19.19, 19.20
<input type="checkbox"/> round window (covers the scala tympani)	
<input type="checkbox"/> oval window (covers the scala vestibuli)	
INNER EAR	
<input type="checkbox"/> vestibule (senses acceleration and deceleration of head)	described p. 586 fig. 19.21, 19.22
<input type="checkbox"/> sacculle	
<input type="checkbox"/> utricle	
<input type="checkbox"/> semicircular canals: lateral, anterior, posterior (sense angular movement of head)	described pp. 586, 589-590 fig. 19.21, 19.24
<input type="checkbox"/> semicircular ducts (within canals)	
<input type="checkbox"/> ampulla (pl. <i>ampullae</i>)	
<input type="checkbox"/> cochlea (hearing)	described p. 591 fig. 19.26a & b, 19.21
<input type="checkbox"/> cochlear duct (<i>or</i> <i>scala media</i>)	
<input type="checkbox"/> scala vestibuli (<i>or</i> <i>vestibular duct</i>)	
<input type="checkbox"/> scala tympani (<i>or</i> <i>tympanic duct</i>)	fig. 19.19, 19.24, 19.26
<input type="checkbox"/> vestibulocochlear nerve (CNVIII)	
<input type="checkbox"/> vestibular branch	
<input type="checkbox"/> cochlear branch and nerve	

TABLE 7. STRUCTURE OF THE COCHLEA AND SPIRAL ORGAN (histology slide)

STRUCTURE	TEXTBOOK REFERENCE & SKETCH
<input type="checkbox"/> cochlear branch of CNVIII	described p. 591-592 fig. 19.19, 19.21, 19.26 b & c
<input type="checkbox"/> bony cochlea (within temporal bone)	
<input type="checkbox"/> scala vestibuli	
<input type="checkbox"/> scala media / cochlear duct	
<input type="checkbox"/> scala tympani	
<input type="checkbox"/> spiral organ (organ of corti)	
<input type="checkbox"/> basilar membrane	
<input type="checkbox"/> hair cells	
<input type="checkbox"/> tectorial membrane	
<input type="checkbox"/> vestibular membrane	